

2024

INTERNATIONAL FORD RETRACTABLE CLUB
JUDGING FORM ORIGINAL (UNRESTORED)

Year 1957 1958 1959
(Circle One)

CAR NUMBER _____

OWNER _____

VIN # _____
(must agree with data plate on car)

Tabulation

Total Points500

Total Accessories Deduction from Page 2 (max deduct 21)

Total Accessories Deduction from Page 3 (max deduct 24)

Total Operational Cycle and Condition from Page 4 (max deduct 65)...

Total Condition Deduction from Page 5 (max deduct 37).....

Total Condition Deduction from Page 6 (max deduct 68).....

Total Condition Deduction from Page 7 (max deduct 66).....

Total Condition Deduction from Page 8 (max deduct 50).....

Total Authenticity Deduction from Page 9 (max deduct 43).....

Total Authenticity/Condition Deduction from Page 10 (max deduct 58)..

Total Authenticity Deduction from Page 11 (max deduct 32).....

Total Authenticity Deduction from Page 12 (max deduct 26).....

Total Authenticity Deduction from Page 13 (max deduct 55).....

Miscellaneous not covered (Judging Committee Decision).....

Interfering with the Judges

Total Deductions

Subtotal.....

Added Accessory Points from Page 2 (max add 12)..... +

Added Accessory Points from Page 3 (max add 12)..... +

Total additions.....

TOTAL SCORE ...

ACCESSORIES AND SPECIAL ITEMS

Max Additions 2

FENDER SKIRTS

Max Deduction 4

Non-Ford for Year of Car.....-2 Deduct_____

Installed Improperly.....-1 Deduct_____

No or Incorrect Rubber.....-1 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 2
1 Each

OUTSIDE MIRRORS (Each)

Max Deduction 4
2 Each

Non-Ford.....-1 Deduct_____

Not for Year of Car.....-1 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 2
1 Each

SPOTLIGHTS (Each)

Max Deduction 4
2 Each

Non-Ford.....-1 Deduct_____

Handles-Indicator Lights (Incorrect).-1 Deduct_____

Not for Year of Car.....-1 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 2

TOWN AND COUNTRY RADIO

Max Deduction 3

Wrong Knobs.....-2 Deduct_____

Wrong Face Plate.....-1 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 2

POWER SEATS / 4 WAY MANUAL

Max Deduction 3

Non-Ford for Car Year.....-2 Deduct_____

Incorrect Knobs / Controls.....-1 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 2

POWER WINDOWS

Max Deduction 3

Non-Ford for Car Year.....-2 Deduct_____

Incorrect Knobs / Controls.....-1 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

TOTAL ADDITIONS_____

TOTAL DEDUCTIONS_____

ACCESSORIES AND SPECIAL ITEMS

Max Additions 2

ROCKER MOLDINGS

Max Deduction 4

Non-Ford for Year of Car.....-2 Deduct_____

Installed Improperly.....-2 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 3

CONTINENTAL KIT

Max Deduction 6

Pans Incorrect.....-1 Deduct_____

Ring Incorrect.....-1 Deduct_____

Face Plate Incorrect.....-1 Deduct_____

Trim Incorrect.....-1 Deduct_____

Not for Year of Car.....-2 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 2

EXHAUST DEFLECTORS (Each)

Max Deduction 4

1 Each

2 Each

Wrong for Year of Car.....-2 Deduct_____

Non-Ford.....-1 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 2

AIR CONDITIONING

Max Deduction 4

Wrong Knobs.....-2 Deduct_____

Wrong Face Plate.....-2 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 1

POWER STEERING

Max Deduction 2

Pump Incorrect.....-1 Deduct_____

Reservoir Incorrect.....-1 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 1

POWER BRAKES

Max Deduction 2

Not for Car Year.....-2 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

Max Additions 1

WINDSHIELD WASHER

Max Deduction 2

Reservoir Incorrect.....-1 Deduct_____

Nozzles Incorrect.....-1 Deduct_____

Total Add_____

* * * * *

Total Deduct_____

TOTAL ADDITIONS_____

TOTAL DEDUCTIONS_____

START & IDLE

Maximum Points 65

NOTICE Verify the VIN number on the 1st page of this form to the carCheck here when done _____**OPERATIONAL CYCLE**

	DEDUCT		DEDUCT
Engine Smoke / Noise.....	-2_____	Deck Open.....	-5_____
Front Parking Lights.....	-1_____	Roof Retract.....	-5_____
Brake Lights.....	-1_____	Tray Cycle.....	-5_____
License Plate Lights.....	-1_____	ROOF Erect.....	-5_____
Head Lights (High/ Lo Beams).....	-2_____	Deck Close.....	-5_____
Turn Signal Lights.....	-2_____	Courtesy Lights.....	-1_____
Tail Lights.....	-1_____	Horn.....	-1_____
Backup Lights (If equipped).....	-1_____	Power Windows.....	-2_____
Heater Fan.....	-1_____	Air Conditioner (If equipped).....	-1_____
Windshield Washers (If equipped).....	-1_____	Clock (If equipped).....	-1_____
Wipers.....	-1_____	Radio (If equipped).....	-1_____
Power Seats.....	-1_____	Signal Seek (If equipped).....	-1_____
Spotlight Indicators.....	-1_____	Spotlight Left.....	-1_____
Emergency brake (check going forward).....	-2_____	Spotlight Right.....	-1_____
Start in N or N/P only.....	-2_____		

AUTHENTICITY TRUNK

Metal floor under spare tire cover (black only).....	-1_____	Tire cover hinge & plywood cover (gray).....	-1_____
Spare tire (must be 8:00x14, 2" to 2 5/8" whitewall) must have same tire and tread as on the ground.....	-1_____	Spare Tire Holder [still needed even with continental kit] (missing, black retainer, natural bolt and handle).....	-1_____

CONDITION TRUNK

Spare Tire and Wheel (cleanliness, rusty, poor paint worn, missing, other).....	-1_____	Spare Tire Holder (cleanliness, rusty, poor paint, other).....	-1_____
Spare Tire Well (cleanliness, rusty, damaged, Poor paint, etc.).....	-3_____	Items Left in Trunk.....	-1_____

TOTAL _____

TOTAL _____

TOTAL DEDUCTIONS _____

CONDITION ENGINE

Maximum Points 37

DEDUCT

Engine Block and Attaching Parts.....-10 _____
(not electrical or fuel) including valve covers / air cleaner / power steering (if equipped)
(cleanliness, dents, repainted, poor paint)

Firewall and Attaching parts / Inner Fenders / Under Front Fenders (from under hood)
(cleanliness,repainted- rough, rusty, other)..... -5 _____

Leaks as viewed or seen from above..... -2 _____
(fuel, water, oil,)

Radiator / Hoses / Fan / Belts..... -5 _____
(cleanliness, scored core, dented tank, frayed belts, cracked belts, repainted)

Electrical system – Gen., Reg., Starter, Relay, Cables, Battery, -5 _____
(cleanliness, poor paint, frayed wiring, dirty wiring)

Fuel and Vacuum Systems – Carb., Fuel pump, Fuel lines, Vacuum lines..... -5 _____
(cleanliness, rusty, poor paint, other)

Accelerator and Hood Linkage / Underside of Hood..... -5 _____
(cleanliness, rusty, poor repainted, other)

TOTAL DEDUCTIONS....._____

CONDITION EXTERIOR

Maximum Points 68

Workmanship and detail (body waves, roughness, fit, paint & finish, SPECIFY)

ALL ITEMS MUST HAVE ORIGINAL PAINT, IF REPAINTED DEDUCT

DEDUCT

Left Front Fender	-4	_____
Left Door	-4	_____
Left Quarter Panel (including gas filler compartment and gas cap)	-4	_____
Deck lid / Rear Panel	-6	_____
Right Door	-4	_____
Right Front Fender	-4	_____
Right Quarter Panel	-4	_____
Nose Section / Hood	-6	_____
Roof	-4	_____
Chrome and Stainless (pits, scratches, dents, poor fit, NOT ORIGINAL)	-16	_____
Under Rocker Panels / Quarter Panels	-4	_____
Tires, Wheels, & Hubcaps (rust, dirt, dents, wear, other)	-8	_____
TOTAL DEDUCTIONS.....		_____

CONDITION INTERIOR

Maximum Points 66

DEDUCT

Door Panels, Kick Panels, Rear Side Panels..... (torn, wrinkled, poor fit, replaced)	-5	_____
Headliner (torn, frayed, poor fit, dirty, replaced).....	-4	_____
Package Tray Vinyl.....	-2	_____
Moldings (dents, screws, scratches, poor fit, repainted, other).....	-5	_____
Under Seat Vinyl and Rear Window Deck Vinyl	-2	_____
Seats (torn, frayed, worn, wrinkled, poor fit, dirty, replaced)	-5	_____
Carpet (torn, faded, worn, wrinkled, poor fit, dirty, replaced)	-4	_____
Dash, Visors, & Rear View Mirror	-5	_____
(torn, wrinkled, rusty, pitted, repainted, poor fit, dirty, other)		
Instruments (cracked glass, faded, dirty, other)	-4	_____
Controls (broken knobs, missing knobs, dirty, other,)	-3	_____
Pedals (worn, dirty, rubber missing, replaced)	-2	_____
Steering Wheel (pitted, cracked, repainted, dirty, other)	-4	_____
Sill Plates (damaged, dirty, other)	-2	_____
Glass (cracks, bubbles, discolored, cleanliness, other)	-8	_____
Windlace and Anti-Rattlers	-4	_____
Window Rubber Seal (no cloth, cracked, missing, other).....	-4	_____
Courtesy Lamps (under dash & dome light)(cracked, discolored, dirty)	-2	_____
Items Left in Car	-1	_____
TOTAL DEDUCTIONS.....		_____

CONDITION TRUNK

Maximum Points 50

DEDUCT

Cleanliness.....-10_____
(Jack, top mechanism, deck lid, components, etc.)

Boards.....-5_____
(Warped, poor fit, finish, buttons missing, replaced,)

Mats.....-5_____
(Wrinkled, poor fit, finish, excess glue, replaced)

Lift Mechanism Components.....-10_____
(Rusty, poor paint, over spray, broken tubes, frayed and color coded wiring)

Paint.....-9_____
(Rough, runs, over spray, repainted)

Labels and Decals.....-6_____
(Loose, missing, not legible, other)

Tub.....-3_____
(Dented, poor paint, repainted, over spray, mounted poorly,)

Assist Springs.....-1_____
(Argent or natural finish only,) (Cleanliness, rusty, repainted)

Tar paper under deck lid (missing, torn, can oversprayed, etc).....-1_____

TOTAL DEDUCTIONS....._____

AUTHENTICITY ENGINE COMPARTMENT

Maximum Points 43

DEDUCT

Inner Fenders (not original, not black, rubbers between 2 fenders)	-1	_____
Hood Latch & Catch (not original, painted, should be cad appearing, other)	-1	_____
Wiper Motor (not original, natural, back plate, other)	-1	_____
Stoplight Switch (not original, not natural)	-1	_____
Master Cylinder (not original design, may be natural, or stainless steel coated, Cast iron paint)	-1	_____
Fender Bolts (not original, must be black oxide, not cadmium plated on 57)	-2	_____
Battery holder (not original, 57,58 wing nuts ok, bolts missing, not black)	-1	_____
Heater Hose Holder (not original, incorrect mounting, missing)	-1	_____
Heater Assembly and Ducts (not original, black, other)	-1	_____
Heater Valve (manual valve w/o air, vacuum valve w/ air 59, valve hidden under dash 57 w/air)	-1	_____
Hoses (not molded or black)	-2	_____
Heater Hose Clamps and By-Pass (not original style, other,)	-2	_____
Radiator Hose Clamps (tangential type only)	-1	_____
Radiator (not original style, not black, 1 3/4" thick, 1 7/8" w/air, 57 to be domed type, "58-'59 to be flat type)	-1	_____
Overflow (not original, may be rubber connection on 59)	-1	_____
Radiator Cap (not original style, natural color, oval head brass rivet)	-1	_____
Engine (incorrect for data plate, wrong color, other)	-2	_____
Manifolds (incorrect, painted, may be stainless steel coating)	-2	_____
Air Cleaner (not original, wrong color)	-1	_____
Air Cleaner Top Wing Nut (not original, other,)	-1	_____
Oil Breather Cap	-1	_____
Valve Covers (not original, wrong color, painted bolts, other)	-2	_____
Decals (not original, mounted wrong)	-2	_____
Fuel Pump (incorrect for year, no sediment bowl)	-1	_____
Carburetor (incorrect for data plate, wrong style, other)	-1	_____
Generator and Starter (not original, black, other)	-1	_____
Battery (not original, black, no screw in caps)	-2	_____
Battery Cables (not original, not 90 degree terminals, not black)	-1	_____
Coil and Resistor (not Ford, incorrect mounting, coil should be yellow top, all black ok)	-2	_____
Wiring (not color coded, original, mounted incorrectly, OD green clips, other)	-1	_____
Distributor and Cap (not original style or black)	-1	_____
Horns and Relay (not original, mounted incorrectly, '57 may have long or short, 59 w/ air top horn on right fender, except 292 engine)	-2	_____
Fan (incorrect, 4 blade standard, 5 blade w/ air)	-1	_____

TOTAL DEDUCTIONS.....

UNDERCARRIAGE

Maximum points 58

AUTHENTICITY MAXIMUM POINTS 35

CONDITION MAXIMUM POINTS 23

DEDUCT

WHEEL COVERS (not original style, 57 std. Or turbine are acceptable, other)..... -4_____

WHEELS (not solid, should be black, color of car acceptable)..... -4_____

TIRES (8:00 x 14, 2 to 2 5/8" whitewall only)..... -6_____

-2 if radials, -2 if not 8:00x14, -2 if whitewall is wrong

FRAME & SUSPENSION COMPONENTS (not black, missing, incorrect)..... -4_____

TRANSMISSION LINES (not original, natural, improper routing)..... -1_____

TRANSMISSION (not as data plate)..... -2_____

MUFFLERS (not original style or size)

'57 = 24 x 4 x 7 3/4" body, 33" overall length +/- 1"

'58 = 19 x 4 x 9 3/4" body, 28" overall length +/- 1"

'59 = 22 x 4 x 9 3/4" body, 30" overall length +/- 1"

(-2 points if right style but wrong)

-2 points if glass pack or that style)..... -2_____

EXHAUST (improper routing, wrong clamps, or hangers, other)..... -5_____

DIFFERENTIAL (not black, red oxide primer acceptable on third member)..... -1_____

DRIVESHAFT (not original, may be black)..... -1_____

SHOCKS (not original, not black, rear original have spring around base)..... -2_____

AIR SHOCKS (not allowed)..... -1_____

SPRING LEAVES (must be 6 leaves)..... -2_____

AUTHENTICITY TOTAL DEDUCTIONS.....

DEDUCT

FRONT SUSPENSION, shocks, springs, brake backing plates, (cleanliness, poor paint, broken bushings or rubber bumpers)..... -5_____

EXHAUST..... -3_____

(rusty, over spray, broken hangers)

REAR SUSPENSION, shocks, springs, brake backing plates, (cleanliness, poor paint, broken or missing rubber bumpers)..... -4_____

TRANSMISSION, DIFFERENTIAL, DRIVESHAFT, (cleanliness, dented pan, poor paint, rusty, REPAINTED)..... -3_____

UNDERSIDE of FLOOR PANS / FRAME (cleanliness, poor paint, rusty, over spray, excess undercoat)..... -5_____

GAS TANK (cleanliness, rusty, finish should resemble original)..... -2_____

Leaks as viewed/seen from below..... -1_____

CONDITION TOTAL DEDUCTIONS.....

TOTAL DEDUCTIONS _____

UNDERCARRIAGE

Maximum points 58

AUTHENTICITY MAXIMUM POINTS 35

CONDITION MAXIMUM POINTS 23

DEDUCT

WHEEL COVERS (not original style, 57 std. Or turbine are acceptable, other)..... -4_____

WHEELS (not solid, should be black, color of car acceptable)..... -4_____

TIRES (8:00 x 14, 2 to 2 5/8" whitewall only)..... -6_____

-2 if radials, -2 if not 8:00x14, -2 if whitewall is wrong

FRAME & SUSPENSION COMPONENTS (not black, missing, incorrect)..... -4_____

TRANSMISSION LINES (not original, natural, improper routing)..... -1_____

TRANSMISSION (not as data plate)..... -2_____

MUFFLERS (not original style or size)

'57 = 24 x 4 x 7 3/4" body, 33" overall length +/- 1"

'58 = 19 x 4 x 9 3/4" body, 28" overall length +/- 1"

'59 = 22 x 4 x 9 3/4" body, 30" overall length +/- 1"

(-2 points if right style but wrong)

-2 points if glass pack or that style)..... -2_____

EXHAUST (improper routing, wrong clamps, or hangers, other)..... -5_____

DIFFERENTIAL (not black, red oxide primer acceptable on third member)..... -1_____

DRIVESHAFT (not original, may be black)..... -1_____

SHOCKS (not original, not black, rear original have spring around base)..... -2_____

AIR SHOCKS (not allowed)..... -1_____

SPRING LEAVES (must be 6 leaves)..... -2_____

AUTHENTICITY TOTAL DEDUCTIONS..... _____

DEDUCT

FRONT SUSPENSION, shocks, springs, brake backing plates, (cleanliness, poor paint, broken bushings or rubber bumpers)..... -5_____

EXHAUST..... -3_____

(rusty, over spray, broken hangers)

REAR SUSPENSION, shocks, springs, brake backing plates, (cleanliness, poor paint, broken or missing rubber bumpers)..... -4_____

TRANSMISSION, DIFFERENTIAL, DRIVESHAFT, (cleanliness, dented pan, poor paint, rusty, REPAINTED)..... -3_____

UNDERSIDE of FLOOR PANS / FRAME (cleanliness, poor paint, rusty, over spray, excess undercoat)..... -5_____

GAS TANK (cleanliness, rusty, finish should resemble original)..... -2_____

Leaks as viewed/seen from below..... -1_____

CONDITION TOTAL DEDUCTIONS..... _____

TOTAL DEDUCTIONS _____

AUTHENTICITY TRUNK

Maximum Points 26

DEDUCT

Boards (not original or other).....	-2	_____
Buttons (57-gray or beige, 58- gray or black, 59-black).....	-1	_____
Mat (not original or other).....	-2	_____
Jack (not original, mounted incorrectly, jack hold down spring natural or black).....	-2	_____
Lug Wrench (not original style or mounted incorrectly).....	-1	_____
Jack flap (not sewed or other).....	-1	_____
Jack Instructions (missing, not on left fender wall, incorrect).....	-1	_____
Decals (missing, mounted incorrectly, storage label not mounted On center of floor in front of tub)	-2	_____
Tub (missing-4, incorrect or acceptable replacement -2).....	-4	_____
Floor Bolt (not original, missing, or other).....	-1	_____
Metal Bolt Cup and Nails (cup should be gray and use small round head nails).....	-1	_____
Top Lifting Screws (tubes missing, not original, no staples, No clamps, incorrect staples, incorrect clamps, or other).....	-4	_____
Deck Lid area in general.....	-4	_____
TOTAL DEDUCTIONS.....		

AUTHENTICITY INTERIOR

Maximum Points 55

	DEDUCT
COLOR (not as data plate)	-3
SEAT VINYL (not original)	-5
1959, no foil on bottom of seat	-1
SEAT INSERTS (not original)	-5
DOOR PANELS (NOT ORIGINAL)	-2
SEAT WELT (not original -2)	-2
DOOR PANEL CHROME (not original, needs to have screw with Washer on rear, or other)'57-none, '58-yes, '59-yes	-1
DOOR AND WINDOW HANDLES (not original or mounted incorrectly, '57 can be either raised or flat, rear 1/2" shorter)	-4
ARM REST ('57 and '58 – not original)	-2
WIND LACE (not original)	-1
KICK PANELS (not original –2, screws missing –1 '59 one screw left sided only, or other)	-2
PACKAGE TRAY VINYL (not original, all vinyl must match)	-1
UNDER SEAT VINYL (not original, all vinyl must match)	-1
REAR WINDOW DECK VINYL COVER BEHIND TOP OR REAR SEAT (not original, all vinyl must match)	-1
HEADLINER (not perforated on '57 and '58 –1 totally wrong –2)	-2
DOVE LIGHT	-1
REAR VIEW MIRROR (not original, regular Argent, day/night Chrome)	-1
VISORS (padded dash/painted dash, cardboard visors)	-1
VISOR BRACKETS (incorrect)	-1
DASH (padded dash and visors, painted dash and cardboard visors Not original, sewed incorrectly)	-2
DASH PAINT (incorrect for interior or not original)	-1
DASH COURTESY LAMP (incorrect, missing)	-1
KNOBS & GAUGES (not original style, hood release, lighter, extras, CB, etc)	-4
TRIM SCREWS (not original, chrome, Phillips)	-1
TOP SWITCH (not original or missing)	-1
CARPET AND HEAL PAD (heel pad size no larger than 10" x 20" and no smaller than 7x 14" Accelerator pedal mounted under carpet only, other than that –1, chrome ring Around dimmer switch not acceptable –1 totally wrong –2).....	-4
SILL PLATES (not original)	-2
SILL PLATE SCREWS (incorrect, must be Phillips)	-1
PEDALS (not original or other)	-1

TOTAL DEDUCTIONS.....